



1111



**MAYNOR AS
STOREBOTN, 5300 KLEPPESTO
NORWAY**

13

1111-CPD-0556

EN 1504-2:2005

This product is manufactured and supplied in accordance with the provisions specified in the standard's table ZA.1b/ZA.1c.

CONTROLL® INNERSEAL

Surface Protection Product - Impregnation

EN 14630	DEPTH OF PENETRATION	17 mm
EN 5470-1	ABRASION RESISTANCE	> 30 %
EN 1062-3	CAPILLARY ABSORPTION	$W < 0,1 \text{ kg/m}^2\text{h}^{0,5}$
EN 1062-3	PERMEABILITY TO WATER	$W < 0,1 \text{ kg/m}^2\text{h}^{0,5}$
EN ISO 6272-1	IMPACT RESISTANCE	Class II: $\geq 10 \text{ NM}$
EN 1542	ADHESION STRENGTH (pull off)	$2,4 \text{ N/mm}^2$
EN ISO 2812-1	CHEMICAL RESISTANCE	NO VISUAL EFFECTS
EN 13867-3	THERMAL COMPABILITY	$\geq 2,0 \text{ N/mm}^2$
EN 13501-1	REACTION TO FIRE	EUROCLASS A1 (INCOMBUSTIBLE)
DIN 11622-2	BIOCHEMICAL WASTE, MANURE	COMPLIANT
DANGEROUS	SUBSTANCES COMPLY WITH 5.4	NO SPECIAL PRECAUTIONS REQUIRED

Bergen, Norway June 15. 2013

Place and date of issue

General manager Maynor AS



1111



**MAYNOR AS
STOREBOTN, 5300 KLEPPESTO
NORWAY**

13

1111-CPD-0556

EN 1504-2:2005

This product is manufactured and supplied in accordance with the provisions specified in the standard's table ZA.1a.

CONTROLL® TOPSEAL

Surface Protection Product - Hydrophobic impregnation

EN 14630	DEPTH OF PENETRATION	Class II ≥ 10 mm
EN 5470-1	ABRASION RESISTANCE	> 30 %
EN 1062-3	CAPILLARY ABSORPTION	$W < 0,1 \text{ kg/m}^2\text{h}^{0.5}$
EN 1062-3	PERMEABILITY TO WATER	$W < 0,1 \text{ kg/m}^2\text{h}^{0.5}$
EN ISO 6272-1	IMPACT RESISTANCE	Class II: ≥ 10 NM
EN 13867-3	THERMAL COMPABILITY	$\geq 2,0 \text{ N/mm}^2$
EN 13501-1	REACTION TO FIRE	EUROCLASS A1 (INCOMBUSTIBLE)
EN 13579	DRYING RATE COEFFICIENT	Class I >30 %
DANGEROUS	SUBSTANCES COMPLY WITH 5.4	NO SPECIAL PRECAUTIONS REQUIRED

Bergen, Norway June 15. 2013

Place and date of issue

General manager Maynor AS

CERTIFICATE

Factory Production Control

1111 – CPD –

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive – CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product

placed on the market by

and produced at

is submitted by the manufacturer to the initial type-testing of the product and a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body *Kontrollrådet* has performed the initial inspection of the factory and the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of factory production control described in Annex ZA of the standard

were applied.

This certificate was first issued on _____ and remains valid as long as the conditions laid down in the harmonised technical specification in the reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly, or at the latest

KONTROLLRÅDET

A handwritten signature in blue ink, appearing to read 'Jan Karlsen', is written over the printed name 'Certification Manager'.

Certification Manager